

Geka couplings have two claws that lock together, when the coupling is pushed and turned. The internal lug distance is 40 mm for all the size, which makes it easy to connect the hose in different connections, without any other reducer coupling.

Application

Luxe's Geka couplings are widely used in agricultural, gardening and emergency for transferring low pressure water and other liquids.

Material


1. Stainless steel AISI 316
2. Brass
3. Stainless steel AISI304 on demand

Seal

1. As standard the coupling in SS have a green Viton sealing ring
2. The brass coupling is with a black NBR sealing ring.

Thread







1. Female thread BSP EN ISO 228-1
2. Male thread BSP EN ISO 228-1



Luxecasting 2014	Name	Size	Code	D mm	Price USD
Hose end 	GKH10BR	3/8"	L0703027	10	
	GKH13BR	1/2"	L0703028	13	
	GKH16BR	5/8"	L0703029	16	
	GKH19BR	3/4"	L0703030	19	
	GKH25BR	1"	L0703031	25	
	GKH32BR	1 1/4"	L0703032	32	
	GKH38BR	1 1/2"	L0703033	38	
swivel end 	GKHS10BR	3/8"	L0707001	10	
	GKHS13BR	1/2"	L0707002	13	
	GKHS16BR	5/8"	L0707003	16	
	GKHS19BR	3/4"	L0707004	19	
	GKHS25BR	1"	L0707005	25	
	GKHS32BR	1 1/4"	L0707006	32	
	GKHS38BR	1 1/2"	L0707007	38	
360° swivel end 	GKHH10BR	3/8"	L0708001	10	
	GKHH13BR	1/2"	L0708002	13	
	GKHH16BR	5/8"	L0708003	16	
	GKHH19BR	3/4"	L0708004	19	
	GKHH25BR	1"	L0708005	25	
	GKHH32BR	1 1/4"	L0708006	32	
	GKHH38BR	1 1/2"	L0708007	38	
Hose end 	GKH10SS	3/8"	L0703040	10	
	GKH13SS	1/2"	L0703039	13	
	GKH16SS	5/8"	L0703054	16	
	GKH19SS	3/4"	L0703038	19	
	GKH25SS	1"	L0703037	25	
	GKH32SS	1 1/4"	L0703036	32	
	GKH38SS	1 1/2"	L0703035	38	
Blank cap 	GKC-BR		L0703034		
	GKC-SS		L0703053		

Luxecasting 2014	Name	Size	Code	Thread	Price USD	
<p>Female thread</p> 	GKF07BR	1/4"	L0703012	G1/4"		
	GKF10BR	3/8"	L0703013	G3/8"		
	GKF13BR	1/2"	L0703014	G1/2"		
	GKF16BR	5/8"	L0703001	G5/8"		
	GKF19BR	3/4"	L0703015	G3/4"		
	GKF25BR	1"	L0703016	G1"		
	GKF32BR	1 1/4"	L0703017	G1 1/4"		
	GKF38BR	1 1/2"	L0703018	G1 1/2"		
	GKF7SS	1/4"	L0703002	G1/4"		
	GKF10SS	3/8"	L0703046	G3/8"		
	GKF13SS	1/2"	L0703045	G1/2"		
	GKF16SS	5/8"	L0703003	G5/8"		
	GKF19SS	3/4"	L0703044	G3/4"		
	GKF25SS	1"	L0703043	G1"		
	GKF32SS	1 1/4"	L0703042	G1 1/4"		
	GKF38SS	1 1/2"	L0703041	G1 1/2"		
	<p>Male thread</p> 	GKM07BR	1/4"	L0703019	G1/4"	
		GKM10BR	3/8"	L0703020	G3/8"	
		GKM13BR	1/2"	L0703021	G1/2"	
		GKM16BR	5/8"	L0703004	G5/8"	
GKM19BR		3/4"	L0703022	G3/4"		
GKM25BR		1"	L0703023	G1"		
GKM32BR		1 1/4"	L0703024	G1 1/4"		
GKM38BR		1 1/2"	L0703025	G1 1/2"		
GKM07SS		1/4"	L0703005	G1/4"		
GKM10SS		3/8"	L0703052	G3/8"		
	GKM13SS	1/2"	L0703051	G1/2"		
	GKM16SS	5/8"	L0703006	G5/8"		
	GKM19SS	3/4"	L0703050	G3/4"		
	GKM25SS	1"	L0703049	G1"		
	GKM32SS	1 1/4"	L0703048	G1 1/4"		
	GKM38SS	1 1/2"	L0703047	G1 1/2"		



Luxecasting 2014		Name	Size	Code	Bore mm	Price USD
Spray 	GKSP13BR	1/2"	L0709001	5		
	GKSP16BR	5/8"	L0709002	7		
	GKSP19BR	3/4"	L0709003	7		
	GKSP25BR	1"	L0709004	8		
	GKSP32BR	1 1/4"	L0709005	8		
Spray with hose end 	Name	Size	Code	Hose D/mm	Bore mm	Price USD
	GKSE13BR	1/2"	L0709006	13	5	
	GKSE16BR	5/8"	L0709007	16	7	
	GKSE19BR	3/4"	L0709008	19	7	
	GKSE25BR	1"	L0709009	25	8	
Geka Clamp 	GKCP19BR	3/4"	L0709011	19*3.5		
	GKCP25BR	1"	L0709012	25*3.5		
	GKCP32BR	1 1/4"	L0709013	32*3.5		
Three way 	GK3W-BR		L0709014			
Geka seal 	GK-NBR		L0705003			
	GK-Viton		L0705006			
Swivel Geka seal 	SGK-NBR		L0705007			